



VICTORIAN STYLE LAMPS are ideal for use in antique style fixtures but give character to any fixture. The filament in these lamps is typical of those used in the majority of early-20th century lighting.

They are perfect to create ambiance and bring style into a room.

A19



MOL = 4 13/16 in. (122 mm)



MOL = 4 13/16 in. (122 mm)



MOL = 4 13/16 in. (122 mm)

S14



MOL = 3 3/8 in. (86 mm)

S60



MOL = 4 31/32 in. (126 mm)

Victorian Style Lamps

Order code	Description	Watts (W)	Base	Volts (V)	Finish/Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
A19									
59840	40W VICTORIAN A19 squirrel cage 120V/STD	40	E26	120	Clear	3 000	C-17	115	120
59839	40W VICTORIAN A19 single loop 120V/STD	40	E26	120	Clear	3 000	C-5VR	115	120
61087	40W VICTORIAN A19 quad loop 120V/STD	40	E26	120	Clear	3 000	Quad loop	140	120
S14									
62250	40W VICTORIAN S14 squ. cage E12/120V/STD	40	E12	120	Clear	3 000	C-17	155	120
S60									
59837	40W VICTORIAN S60 squirrel cage 120V/STD	40	E26	120	Clear	3 000	C-17	115	120
61088	60W VICTORIAN S60 squirrel cage 120V/STD	60	E26	120	Clear	3 000	C-17	245	120



This SHOWCASE lamp was designed to be used in signs and displays but is also suitable in decorative applications like modern glass fixtures. This lamp offers long life of 2 000 hours.

T8



MOL = 11 7/8 in. (302 mm)

Showcase Lamp

Order code	Description	Watts (W)	Base	Volts (V)	Finish/Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
T8									
62411	40T8/CL/2M/SC/120V/STD	40	E26	120	Clear	2 000	C-8	330	100

SILK WRAPPED CHANDELIER LAMPS add a new elegant and unique look to any fixture. Each lamp is wrapped in a special silk thread, creating a unique warm glowing light. Gives the look of an old style glass flame and is available in candelabra and medium base. Long life of up to 5 000 hours.

C11



MOL = 3 1/32 in. (101 mm)

C15



MOL = 4 1/2 in. (114 mm)



Silk Wrapped Chandelier Lamps

Order code	Description	Watts (W)	Base	Volts (V)	Finish/ Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
C11									
59807	25C11/SW/5M/SLK/E12/130V/STD	25	E12	130	Satin white	5 000	C-2V	160	120
59808	25C11/A/5M/SLK/E12/130V/STD	25	E12	130	Amber	5 000	C-2V	N/A	120
59809	40C11/SW/5M/SLK/E12/130V/STD	40	E12	130	Satin white	5 000	C-2V	310	120
59810	60C11/SW/5M/SLK/E12/130V/STD	60	E12	130	Satin white	5 000	C-2V	600	120
C15									
59811	25C15/SW/5M/SLK/130V/STD	25	E26	130	Satin white	5 000	C-9	160	120
59812	40C15/A/5M/SLK/130V/STD	40	E26	130	Amber	5 000	C-9	N/A	120
59813	40C15/SW/5M/SLK/130V/STD	40	E26	130	Satin white	5 000	C-9	310	120
59814	60C15/SW/5M/SLK/130V/STD	60	E26	130	Satin white	5 000	C-9	600	120

HEXAGONAL LAMPS are chandelier and fixture specific with a hexagonal shape. This unique shape allows for sharper light output which gives character to chandeliers and fixtures alike providing sparkling luminosity and brightness.

HX10



MOL = 4 17/32 in. (115 mm)
LCL = 2 1/16 in. (52 mm)



Hexagonal Lamps

Order code	Description	Watts (W)	Base	Volts (V)	Finish/ Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
HX10									
59815	25HX10/CL/5M/E12/130V/STD	25	E12	130	Clear	5 000	C-7A/3	160	120
59816	40HX10/CL/5M/E12/130V/STD	40	E12	130	Clear	5 000	C-7A/3	300	120
59817	60HX10/CL/5M/E12/130V/STD	60	E12	130	Clear	5 000	C-7A/3	600	120



FLICKER FLAMES LAMPS simulate flames; they are used for decorative lighting. They are ideal for chandelier type fixtures.

B10



MOL = 3 3/4 in. (95 mm)
LCL = 1 7/8 in. (47 mm)

CA10



MOL = 3 3/4 in. (95 mm)
LCL = 1 7/8 in. (47 mm)

CA4.5



MOL = 2 7/8 in. (73 mm)
LCL = 1 13/16 in. (36 mm)

Flicker Flame Lamps

Order code	Description	Watts (W)	Base	Volts (V)	Finish/Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
B10									
50746	3B10/CL/2M/FF/E12/120V/STD	3	E12	120	Clear	2 000	Electrode	N/A	120
50747	3B10/CL/2M/FF/120V/STD	3	E26	120	Clear	2 000	Electrode	N/A	120
CA10									
50748	3CA10/CL/2M/FF/E12/120V/STD	3	E12	120	Clear	2 000	Electrode	N/A	120
50749	3CA10/CL/2M/FF/120V/STD	3	E26	120	Clear	2 000	Electrode	N/A	120
CA4.5									
14450	3CA4.5/CL/1.5M/FF/E12/130V	3	E12	130	Clear	1 500	Electrode	N/A	25



These DECORATIVE lamps provide a soft ambient light and are particularly appreciated for their decorative aspect. They do not require a lamp shade.

G16



MOL = 2 7/8 in. (73 mm)

G25



MOL = 4 1/2 in. (114 mm)

G40



MOL = 7 in. (178 mm)

Decorative Lamps

Order code	Description	Watts (W)	Base	Volts (V)	Finish/Colour	Average life (hrs)	Filament	Lumens (lm)	Case qty
G16									
52132	5G16/CL/10M/E12/120V/STD	5	E12	120	Clear	10 000	C-2F	9	500
52129	5G16/CL/10M/120V/STD	5	E26	120	Clear	10 000	C-2F	9	500
G25									
52130	5G25/CL/10M/120V/STD	5	E26	120	Clear	10 000	C-2F	9	100
G40									
52131	5G40/CL/10M/120V/STD	5	E26	120	Clear	10 000	C-2F	9	36